

# Tom Dixon.

INDUSTRIAL LANDSCAPE

Designer Collection by

**ege**<sup>®</sup>

THE URGE TO EXPLORE SPACE

# Contents

5	Intro
6	Smoke
12	Wash
16	Track
20	Tide
24	Blur
28	Brick
36	Crack
41	Collection overview
42	Colour palettes
43	Recolour options
46	Collection mix inspiration
48	All the details
49	Technical specifications



#### The designer

Tom Dixon (OBE). Born in 1959. Self-taught British Designer. Creative Director of the design brand “Tom Dixon” and Design Research Studio that specialises in high concept interiors, large scale installations and architectural design. Museums across the globe have awarded and acquired some of his work, including MoMA, NYC and Centre Georges Pompidou, Paris. With a commitment to innovation and a mission to revive the British furniture industry, he is inspired by the nation’s unique heritage to create extraordinary products for everyday use.

### The Industrial Landscape collection

London is the departure point for the collection – and for Tom Dixon a whole world of inspiration. Perhaps not the prettiest, nor the most glamorous, but certainly one of the most characterful cities in the world.

Gritty backdrops of railways, tunnels, of factories, workshops and warehouses. Materials so prevalent that they make a huge impact. Surfaces - cracked paving stones and brick blocks make up the crumbling industrial landscape while the massive tidal River Thames splits the city in two, and new reflective glass towers begin to dominate the skyline.

There is a kind of beautiful pattern of time on a grimy city that has lived a few lives. As materials break, they are repaired creating a new pattern that has its own aesthetic; deconstructed bricks, steel tracks, crazy paving and the grey muddy water of the Thames. A series of patterns and textures that come straight from the building or the erosion process.

Each of the seven designs is available as tiles or broadloom that transform into different expressions reinterpreting the rough, raw everyday surfaces of the London cityscape that are so familiar to Tom Dixon.




RF52752289 SMOKE

# smoke

The coal-powered city with its rich industrial history,  
production and manufacture.







384 cm



No recolour possible



400 cm



No recolour possible




Approx. 100 cm

Approx. 100 cm




RFM52952270 SMOKE

Installation example 4 x 3 tiles





RFM52952272 SMOKE

Installation example 4 x 3 tiles



RFM52952271 SMOKE


Installation example 4 x 3 tiles



K5295


RF52952270 SMOKE

w: 390.1 cm x l: 585.1 cm




RF52952272 SMOKE

w: 390.1 cm x l: 585.1 cm



RF52952271 SMOKE

w: 390.1 cm x l: 585.1 cm




K5295

K5295

K5295

## Floorscape inspiration





RFM52952273 WASH

# wash

The constant evolution and regeneration of people,  
places and ideas from a city in flux.





RFM52952273 WASH K5295

Installation example 8 x 3 tiles




RF52952273 WASH K5295

w: 390.1 cm x l: 508 cm



RFM52952274 WASH K5295

Installation example 8 x 3 tiles



RF52952274 WASH K5295

w: 390.1 cm x l: 508 cm



RFM52952275 WASH K5295

Installation example 8 x 3 tiles



RF52952275 WASH K5295

w: 390.1 cm x l: 508 cm





RFM52952277 TRACK

# track

The central hub and the geometric pattern of travel  
with crossing tracks, networks and connections.








RFM52952277 TRACK

RFM52952276 TRACK  
Installation example 4 x 3 tiles




RFM52952277 TRACK  
Installation example 4 x 3 tiles



K5295

RF52952276 TRACK  
w: 390.1 cm x l: 390.1 cm



RF52952277 TRACK  
w: 390.1 cm x l: 390.1 cm



K5295

K5295



RF52952278 TIDE

# tide


The marks exposed from the motion, sediment and flow of the historic and tidal River Thames.





RFM52952278 TIDE

Installation example 4 x 3 tiles



192 cm

C1 C2 C3 C4

GB4 GB3 GB2 GB1

K5295

RF52952278 TIDE

w: 390.1 cm x l: 797.6 cm



192 cm



Approx. 100 cm


C1 C2 C3 C4

GB4 GB3 GB2 GB1

K5295

RFM52752286 TIDE

Installation example 4 x 3 tiles



192 cm


C1 C2 C3

GB12 GB4 GB5


K5275

RF52752286 TIDE

w: 390.1 cm x l: 797.6 cm



192 cm



Approx. 100 cm

C1 C2 C3

GB12 GB4 GB5

K5275

RFM52952280 TIDE

Installation example 4 x 3 tiles



192 cm

C1 C2 C3

GB4 AC45 GB7

K5295

RF52952280 TIDE

w: 390.1 cm x l: 797.6 cm



192 cm



Approx. 100 cm

C1 C2 C3

GB4 AC45 GB7

K5295

RFM52952279 TIDE

Installation example 4 x 3 tiles



192 cm


C1 C2 C3

GB4 GB5 GB6


K5295

RF52952279 TIDE

w: 390.1 cm x l: 797.6 cm



192 cm



Approx. 100 cm

C1 C2 C3

GB4 GB5 GB6

K5295




RFM52752287 BLUR

# blur

The distorted city reflections in transient bits of water like puddles and fresh rainfall.









RFM52952282 BRICK


# brick

Handmade and glazed bricks are the symbol and defining material of the London cityscape.









RFM52952282 BRICK












Floorscape inspiration








RF52952283 CRACK

# crack

The beauty of deterioration and the imperfections  
of everyday surfaces.











## Collection overview

### smoke

PURPLE



RFM & RF52752289  
Page 8-9

GREY



RFM & RF52952270  
Page 10

GREEN



RFM & RF52952272  
Page 10

BLUE



RFM & RF52952271  
Page 10

### wash

GREY



RFM & RF52952273  
Page 14-15

GREEN



RFM & RF52952274  
Page 14-15

BLUE



RFM & RF52952275  
Page 14-15

### track

GREY



RFM & RF52952276  
Page 19

BLUE



RFM & RF52952277  
Page 19

### tide

GREY



RFM & RF52952278  
Page 22

PURPLE



RFM & RF52752286  
Page 22

GREEN



RFM & RF52952280  
Page 23

BLUE



RFM & RF52952279  
Page 23

### blur

OILY



RFM & RF52752287  
Page 26-27

GREEN



RFM & RF52952281  
Page 26-27

### brick

GREEN



RFM & RF52952282  
Page 32-33

RUST



RFM & RF52752288  
Page 32-33

### crack

BEIGE



RFM & RF52952284  
Page 38-39

GREY



RFM & RF52952283  
Page 38-39



Colour palettes

colour palette 5220

GB1	A20041	GB2	A20042	GB3	A20043	GB4	K20044	GB5	K20045	GB6	K20046
GB7	K20047	GB8	K20048	GB9	K20049	GB10	K20050	GB11	K20051	GB12	K20012

Accent colours – for use in areas of max. 10 x 10 cm

AC43	AC44	AC45	AC46	AC47	AC48	AC49	AC50	AC51	AC52	AC53	AC54	AC55	AC56	AC57	AC58	AC59	AC60
AC61	AC62	AC63	AC64	AC65	AC66	AC67	AC68	AC69	AC70	AC71	AC72	AC73	AC74	AC75	AC76	AC77	

colour palette 5275

GB1	K28328	GB2	K28329	GB3	K28378	GB4	K28374	GB5	K28366	GB6	K28364
GB7	K28380	GB8	K28379	GB9	K27886	GB10	K28360	GB11	K28367	GB12	K28368

Accent colours – for use in areas of max. 10 x 10 cm

AC13	AC14	AC15	AC16	AC17	AC18	AC19	AC20	AC21	AC22	AC23	AC24	AC25	AC26	AC27	AC28	AC29	AC30
AC31	AC32	AC33	AC34	AC35	AC36	AC37	AC38	AC39	AC40	AC41	AC42	AC43	AC44	AC45	AC46	AC47	

colour palette 5285

GB1	K28521	GB2	K28522	GB3	K28523	GB4	K28524	GB5	K28525	GB6	H28526
GB7	H28527	GB8	K28528	GB9	H28529	GB10	K28530	GB11	H28531	GB12	K20012

Accent colours – for use in areas of max. 10 x 10 cm

AC13	AC14	AC15	AC16	AC17	AC18	AC19	AC20	AC21	AC22	AC23	AC24	AC25	AC26	AC27	AC28	AC29	AC30
AC31	AC32	AC33	AC34	AC35	AC36	AC37	AC38	AC39	AC40	AC41	AC42	AC43	AC44	AC45	AC46	AC47	

colour palette 5295

GB1	K28601	GB2	K28602	GB3	K28603	GB4	K20012	GB5	H28605	GB6	K28606
GB7	K28607	GB8	K28608	GB9	K28609	GB10	K28610	GB11	H28611	GB12	H28632

Accent colours – for use in areas of max. 10 x 10 cm

AC13	AC14	AC15	AC16	AC17	AC18	AC19	AC20	AC21	AC22	AC23	AC24	AC25	AC26	AC27	AC28	AC29	AC30
AC31	AC32	AC33	AC34	AC35	AC36	AC37	AC38	AC39	AC40	AC41	AC42	AC43	AC44	AC45	AC46	AC47	

Recolour options

SELECT DESIGN

RF52952276



C1	C2	C3	C4	C5
GB1	AC13	GB2	GB3	GB4

CHANGE COLOUR OF BACKGROUND (CHOOSE BETWEEN GB1-GB12)

EF12782-100



C1	C2	C3	C4	C5
GB1	AC13	GB2	GB11	GB12

CHANGE PATTERN COLOUR (CHOOSE BETWEEN GB1-GB12 AND ACCENT COLOURS)

EF12782-101



C1	C2	C3	C4	C5
GB9	AC33	GB10	GB11	GB12









Collection mix inspiration


The designs of the Industrial Landscape collection can stand alone or work in the company of other ege collections. Find inspiration in the creative combinations below and mix different patterns, qualities and colours to define areas, move or guide people or just because it looks great.




1 REFORM FOSS 076273048 / 0800730 2 REFORM MEMORY 076701548 / 0768015 3 METROPOLITAN RF5295617 4 INDUSTRIAL LANDSCAPE RFM52952273 5 EPOCA RASP 0807710 6 CONTRAST RFM52956454 7 EPOCA TEXTURE 2000 0706800



1 REFORM FOSS 076244048 / 0800440 2 EPOCA PROFILE 060347548 3 SOFT DREAMS LUX 0729495 4 INDUSTRIAL LANDSCAPE RFM52752288 5 EPOCA PRO 0686470 6 INDUSTRIAL LANDSCAPE RF52752288 7 EPOCA KNIIT 074749548



1 CANVAS COLLAGE RF52752808 2 EPOCA TWIST 073387048 3 EPOCA SILKY CONTRACT 0575170 4 INDUSTRIAL LANDSCAPE RFM52752289 5 INDUSTRIAL LANDSCAPE RF52752289 6 CONTRAST RFM52756246 7 EPOCA CLASSIC 073515548



1 REFORM FOSS 076256048 / 0800560 2 CANVAS COLLAGE RF52752810 3 SENSE RF52751372 4 INDUSTRIAL LANDSCAPE RFM52752287 5 UNA CRYSTALLINE 080823048 6 EPOCA TEXTURE 2000 0706555 7 EPOCA PRO 0686165





## All the details

### Technical specifications

The Industrial Landscape collection features seven design themes. Each of them is available as carpet tiles as well as broadloom creating different expressions within the same design theme. Tiles and broadloom can be mixed together or combined with other ege collections to get a truly unique flooring solution for not only one room but also for projects with several spaces.

- 7 designs
- Recolour options (see page 43)
- Tiles, broadloom and Figura
- 5 standard qualities available for tiles (see specifications on page 49)
- 9 standard qualities available for broadloom (see specifications at egecarpets.com)
- Minimum order from 40 m<sup>2</sup> for tiles
- No minimum order requirements for broadloom
- Undisputed performance standard EN 1307
- Performance classification to fit any need; heavy use
- 24-hour sample service
- Dispatch within 2 weeks from receipt of order

### The green choice

All carpet tiles from the Industrial Landscape collection have the patented Ecotrust felt backing. This is an innovative production technique turning used water bottles into a soft, yet strong and highly durable PET felt that also holds great acoustic performance. The Ecotrust backing is Cradle to Cradle™ certified signifying that it is one of the most environmentally friendly tile backings on the market.

Combined with the Highline 1100 or Highline Carré face quality that is made of regenerated and regenerable ECONYL® yarns, the product is a 100% green choice. ECONYL® yarns are produced from used fishing nets and other waste materials that are reborn as strong, hardwearing yarns for textile flooring.



Construction characteristics	Standard	Highline 80/20 1400 Ecotrust	Highline 1100 Ecotrust	Highline 630 Ecotrust	Highline Loop Ecotrust	Highline Carré Ecotrust
Structure	ISO 2424	Tufted cut pile	Tufted cut pile	Tufted cut pile	Tufted loop pile	Tufted loop pile
Pile material	DIR 96/73, 96/74	80% wool, 20% polyamide	100% regenerated ECONYL® polyamide	100% polyamide	100% polyamide	100% regenerated ECONYL® polyamide
Coloration	-	Millitron dyed	Millitron dyed	Millitron dyed	Millitron dyed	Millitron dyed
Backing	eTL	Ecotrust 350, 100% recycled	Ecotrust 350, 100% recycled	Ecotrust 350, 100% recycled	Ecotrust 350, 100% recycled	Ecotrust 350, 100% recycled
Dimensions	ISO 3018	48x48 / 96x96 cm*	48x48 / 96x96 cm*	48x48 / 96x96 cm* / Figura**	48x48 / 96x96 cm* / Figura**	48x48 / 96x96 cm* / Figura**
Gauge	ISO 2424	1/8	1/8	1/10	1/10	1/10
Total thickness	ISO 1765	Approx. 10.5 mm	Approx. 9.0 mm	Approx. 8.0 mm	Approx. 8.0 mm	Approx. 7.0 mm
Surface pile thickness	ISO 1766	Approx. 6.0 mm	Approx. 5.5 mm	Approx. 4.0 mm	Approx. 4.0 mm	Approx. 3.0 mm
Tufts	ISO 1763	Approx. 139,000 per m <sup>2</sup>	Approx. 198,000 per m <sup>2</sup>	Approx. 222,000 per m <sup>2</sup>	Approx. 153,000 per m <sup>2</sup>	Approx. 183,000 per m <sup>2</sup>
Total carpet weight	ISO 8543	Approx. 3,350 g/m <sup>2</sup>	Approx. 3,025 g/m <sup>2</sup>	Approx. 2,600 g/m <sup>2</sup>	Approx. 2,650 g/m <sup>2</sup>	Approx. 2,425 g/m <sup>2</sup>
Pile yarn weight	eTL	Approx. 1,400 g/m <sup>2</sup>	Approx. 1,100 g/m <sup>2</sup>	Approx. 630 g/m <sup>2</sup>	Approx. 680 g/m <sup>2</sup>	Approx. 440 g/m <sup>2</sup>
Surface pile density	ISO 8543	Approx. 0.160 g/cm <sup>3</sup>	Approx. 0.165 g/cm <sup>3</sup>	Approx. 0.120 g/cm <sup>3</sup>	Approx. 0.115 g/cm <sup>3</sup>	Approx. 0.100 g/cm <sup>3</sup>
Soil protection	eTL	Yes	Yes	Yes	Yes	Yes
Biocidal treatment	Biocidal Product Regulation	Contains a preservative to control microbiological deterioration	-	-	-	-

### Performance characteristics

Performance areas	EN 1307	Class 33 – Commercial – Heavy	Class 33 – Commercial – Heavy	Class 33 – Commercial – Heavy	Class 33 – Commercial – Heavy	Class 33 – Commercial – Heavy
Castor chair suitability	EN 985	-	Intensive use	Intensive use	Intensive use	Intensive use
Suitability for use on stairs	EN 1963	Yes	Yes	Yes	Yes	Yes
Static control	eTL	Permanently antistatic	Permanently antistatic	Permanently antistatic	Permanently antistatic	Permanently antistatic
Suitability for under floor heating	eTL	Approx. 0.18 m²K/W	Approx. 0.16 m²K/W	Approx. 0.14 m²K/W	Approx. 0.14 m²K/W	Approx. 0.12 m²K/W
Acou. insu. from impact noise	EN ISO 717-2/eTL	28 dB	26 dB	26 dB	26 dB	25 dB
Acoustical absorption	ISO 354/eTL	0.35 aW	0.25 aW	0.25 aW	0.25 aW	0.25 aW

### Safety and environmental characteristics

Fire classifications	EN 13501-1 Euroclass IMO MK Godkendelse VKF/AEAI	B <sub>1</sub> -s1 Certified Approved Approved	B <sub>1</sub> -s1 - Approved Approved	B <sub>1</sub> -s1 - Approved Approved	B <sub>1</sub> -s1 - Approved Approved	C <sub>0</sub> -s1 - Approved Approved
Indoor climate	BASTA DIM Certificate Emissions dans l'air intérieur GECA Green Label Plus	Registered No. 006 A+/A+ - Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved
Environmental profile	Bre BREEAM-NOR Cradle to Cradle Certified™ Environmental Product Declaration LEED	- - Bronze certified -	ENP 434 With EcotrustA backing Bronze certified EPD-EGE-20150335-CCA1-EN Qualified	ENP 434 - Bronze certified -	ENP 434 - Bronze certified -	- - Bronze certified -
CE Labeling	EN 14041	Certified	Certified	Certified	Certified	Certified

### Manufacturer characteristics

Quality management	ISO 9001	Audited and verified by Bureau Veritas Certification	
Environmental management	ISO 14001	Audited and verified by Bureau Veritas Certification	
Eco management	EMAS	Audited and verified by Bureau Veritas Certification	
Occupational Health & Safety	DS/OHSAS 18001	Audited and verified by Bureau Veritas Certification	
Corporate Social Responsibility	DS 49001	Audited and verified by Bureau Veritas Certification	
Carpet Recycling UK	Member	www.carpetrecyclinguk.com	

eTL = internal result from the ege Test Laboratory (ISO 9001 certified).  
Due to continuous development of products and testing procedures any above declaration is subject to change without prior notification.

\*Please note extra surcharge for 96x96 cm tiles. \*\*Figura is available from minimum 40 m<sup>2</sup> per shape/quality/colour. The Industrial Landscape collection is also available as broadloom. Please see egecarpets.com for product data.

For full technical specifications and installation and maintenance guides see egecarpets.com.





BY APPOINTMENT TO THE ROYAL DANISH COURT

ege carpets a/s

# thanks

Tom Dixon, Creative Director · Helene Bangsbo  
Andersen, Head of Creative Tom Dixon · Micaela Silva,  
Designer Tom Dixon · Karen Nybo, Designer ege ·  
Susanne Lykke, Visual Communication Manager  
ege · Mikkel Mortensen, Photographer Yellow's ·  
Lene Ronfeldt, Interior Stylist





**ege®**

THE URGE TO EXPLORE SPACE

[www.egecarpets.com](http://www.egecarpets.com)